

# TECHNICAL SPECIFICATION

EYE AND FACE PROTECTION



## EVOGuard® C4-MAX Industrial Visor

EVOGuard™ C4-MAX / Code: ADA270-070-000



### DESCRIPTION

EVOGuard® C high performance industrial visors provide comprehensive facial coverage without limiting movement. The optical class 1 visor range offers UV protection and a panoramic view with minimal distortion.

Fully compatible with EVOGuard® browguard systems and EVO® helmet range, the C4-MAX visor offers up to AT rated impact protection and features an integral chinguard for added coverage.

### OPTIONS

- **EVOGuard™ C4-MAX (ADA270-070-000)**

### DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [Declaration of Conformity \(PDF\)](#)





## FEATURES




### Helmet & Browguard Integration

Fully compatible with *EVO® helmet and the EVOGuard™ Browguard system*. Not including EVO®Vista™ or EVO®6100 ranges

### Compatibility

EVOGuard™ visors maximise compatibility with JSP half masks, disposable respirators, prescription glasses and the Sonis® helmet mounted ear defender range.



### Vision

The optical class 1 visor offers a panoramic view with minimal distortion, ideal for comfortable all day wear.



### Impact

Five high performance visors offering up to A rated impact resistance when fitted to a safety helmet and fully compatible with EVOGuard™ browguard for medium energy impact protection.



### Coverage

EVOGuard™ visors provide comprehensive facial coverage without limiting movement. EVOGuard™ MAX visors offer enhanced coverage with an integral chinguard.

## SAFETY STANDARDS

EN 166

EN 170

## SPECIFICATIONS

-  ULTRAVIOLET FILTER SCALE NUMBER  
2C-1.2
-  MANUFACTURER'S TRADEMARK  
JSP Dagger
-  OPTICAL QUALITY (1=HIGH, 3=LOW)  
1
-  HIGH ENERGY IMPACT 190 M/S  
A - When Fitted to EVO Helmet
-  MEDIUM ENERGY IMPACT 120 M/S  
B - When Fitted To EVOGuard Browguard
-  FOR PROTECTION AT EXTREMES OF TEMPERATURE  
T
-  RESISTANCE TO LIQUID SPLASH  
3
-  RESISTANCE TO MOLTEN METALS AND HOT SOLIDS  
9
-  RESISTANCE TO SURFACE DAMAGE BY FINE PARTICLES  
K
-  RESISTANCE TO FOGGING  
N
-  VISOR LENGTH  
21.5cm
-  BSI KITEMARK  
Yes
- MATERIAL  
Polycarbonate Shield
-  PRODUCT WEIGHT  
220g
-  RECYCLABLE  
Yes
-  KIT  
Supplied With: EVO 2,3,5,DS, Lite, Skyworker Arms.  
EVO8/EVOLite Badgholder Arms. EVOGuard  
Browguard Mounting System



## UV Protection

Visor filters harmful UV radiation to protect the eyes whilst also offering high light transmission and enhanced colour recognition.

## APPLICATIONS

Aerospace

Agricultural

- Chemical Spraying
- Distribution
- Farming
- Grain Stores
- Landscaping
- Aircraft Maintenance
- Ground Maintenance

Construction and Infrastructure

Facilities Management

Food and Drink Manufacturing

Manufacturing

- Automotive
- Cosmetics
- Injections Moulding
- Packaging
- Paper
- Pharmaceutical
- Fisheries

Mining, Aggregates and Quarrying

Rail and Tunnelling

Scaffolding and Roofing

- Carpentry
- Electrical
- Gas
- Painting and Decorating
- Water and Plumbing

Utilities Contractors

- Electrical
- Gas
- Telecomms
- TM Companies
- Water

## RANGE



JSP Limited. Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.  
Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jgpsafety.com / Web: www.jgpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jgpsafety.com.  
Information correct in the United Kingdom at date of issue and may be subject to change.

Page 3 of 4 / Issued 14 Jul 2020 / Copyright 2018 - 2020. JSP Limited. All Rights Reserved.



## COMPATIBLE PRODUCTS

EVO®2 Mid Peak with Slip  
EVO®2 Vented with Slip Ratchet  
EVO®3 Micro Peak Slip Ratchet  
EVO®3 Linesman Slip Ratchet  
EVO®3 Micro Peak Slip Ratchet Vented  
EVO®3 Micro Peak Wheel Ratchet  
EVO®3 Micro Peak Wheel Ratchet Linesman  
EVO®3 Micro Peak Wheel Vented  
EVO®3 Mid Peak Slip Ratchet  
EVO®3 Mid Peak Slip Ratchet Vented  
EVO®3 Mid Peak Wheel Ratchet  
EVO®3 Mid Peak Wheel Ratchet Vented  
EVO®3 OneTouch™ Slip Ratchet  
EVO®3 OneTouch™ Slip Ratchet Vented  
EVO®3 Revolution® Wheel Ratchet Vented  
EVO®5 DualSwitch™ Micro Peak Wheel Ratchet Vented  
EVO®5 Olympus® Mid Peak Wheel Ratchet  
EVO®5 Olympus® Mid Peak Wheel Ratchet Vented  
EVO®5 Olympus® Mid Peak Wheel Ratchet Vented Linesman  
EVO®8 Wheel Ratchet  
EVO®8 Wheel Ratchet Linesman  
EVO®8 Wheel Ratchet Vented  
EVOlite® Micro Peak Slip Ratchet  
EVOlite® Linesman Slip Ratchet  
EVOlite® Micro Peak Slip Ratchet Vented  
EVOlite® Micro Peak Wheel Ratchet  
EVOlite® Micro Peak Wheel Ratchet Linesman  
EVOlite® Micro Peak Wheel Ratchet Vented  
EVOlite® Micro Peak Wheel Ratchet Vented Linesman  
EVOlite® Mid Peak Slip Ratchet  
EVOlite® Slip Ratchet Vented  
EVOlite® Mid Peak Wheel Ratchet  
EVOlite® Mid Peak Wheel Ratchet Vented  
EVOlite® Skyworker™  
Sonis® Compact Helmet Mounted Ear Defenders  
Sonis®1 Helmet Mounted Ear Defenders  
Sonis®3 Helmet Mounted Ear Defenders

## ACCESSORIES

PPE Cleaning Station & Accessories

